Math Common Core Grade 6

Number	Standard	Description
1	RP.A1	Understand the concept of a ratio and use ratio language to describe a ratio relationship
		between two quantities ("For every vote candidate A received, candidate C received nearly
2	RP.A2	three votes.")
2	Kr.A2	Understand the concept of a unit rate a/b associated with a ratio a:b with $b \neq 0$, and use rate language in the context of a ratio relationship. ("We paid \$75 for 15 hamburgers, which is
		a rate of \$5 per hamburger." a rate of \$5 per hamburgers, which is
3	RPA.3	Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by
		reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or
		equations.
4	RPA.3a	Make tables of equivalent ratios relating quantities with whole-number measurements, find
		missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables
		to compare ratios.
5	RPA.3b	Solve unit rate problems including those involving unit pricing and constant speed
6	RPA.3c	Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times
	DD 1 2 1	the quantity); solve problems involving finding the whole, given a part and the percent.
7	RPA.3d	Use ratio reasoning to convert measurement units; manipulate and transform units
8	NSA.1	appropriately when multiplying or dividing quantities
o	NSA.1	Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the
		problem.
9	NS.B2	Fluently divide multi-digit numbers using the standard algorithm.
10	NS.B3	Fluently add, subtract, multiply, and divide multi-digit decimals using the standard
-		algorithm for each operation
11	NS.B4	Find the greatest common factor of two whole numbers less than or equal to 100 and the
		least common multiple of two whole numbers less than or equal to 12. Use the distributive
		property to express a sum of two whole numbers 1–100 with a common factor as a multiple
12	NO CE	of a sum of two whole numbers with no common factor. (Ex. Express $36 + 8$ as $4(9 + 2)$)
12	NS.C5	Understand that positive and negative numbers are used together to describe quantities
		having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and
		negative numbers to represent quantities in real-world contexts, explaining the meaning of
		0
13	NS.C6	Extend number line diagrams and coordinate axes to represent points as negative number
		coordinates in the plane, understanding a rational number as a point on the line.
14	NS.C6a	Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the
		number line; e.g., $-(-3) = 3$, and that 0 is its own opposite.
15	NS.C6b	Understand signs of numbers in ordered pairs as indicating locations in quadrants of the
		coordinate plane; recognize that when two ordered pairs differ only by signs, the locations
16	NC CC	of the points are related by reflections across one or both axes.
16	NS.C6c	Find and position integers and other rational numbers on a horizontal or vertical number
17	NS.C7	line diagram and a coordinate plane.
1/	INS.C/	Understand ordering and absolute value of rational numbers.

18	NS.C7a	Interpret statements of inequality as statements about the relative position of two numbers
		on a number line diagram. For example, interpret $-3 > -7$ as a statement that -3 is located to the right of -7 on a number line oriented from left to right.
19	NS.C7b	Write, interpret, and explain statements of order for rational numbers in real-world contexts. For example, write -3 °C > -7 °C to express the fact that -3 °C is warmer than -7 °C.
20	NS.C7c	Interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. <i>Ex: an account balance of -30 dollars, write</i> $ -30 = 30$ (30 is debt)
21	NS.C7d	Distinguish comparisons of absolute value from statements about order. For example, an account balance less than -30 dollars represents a debt greater than 30 dollar
22	NS.C8	Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.
23	EE.A1	Write and evaluate numerical expressions involving whole-number exponents.
24	EE.A2	Write, read, and evaluate expressions in which letters stand for numbers
25	EE.A2a	Write expressions that record operations with numbers and with letters standing for numbers
26	EE.A2b	Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity.
27	EE.A2c	Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas $V = s^3$ and $A = 6 s^2$ to find the volume and surface area of a cube with sides of length $s = 1/2$.
28	EE.A3	Apply the properties of operations to generate equivalent expressions. (see *)
29	EE.A4	Identify when two expressions are equivalent $(3y = y+y+y)$
30	EE.B5	Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true?
31	EE.B6	Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.
32	EE.B7	Solve real-world and mathematical problems by writing and solving equations of the form $x+p=q$ and $px=q$ for cases in which p , q and x are all nonnegative rational numbers.
33	EE.B8	Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams.
34	EE.C9	Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time

¹ For example, apply the distributive property to the expression 3 (2 + x) to produce the equivalent expression 6 +3x; apply the distributive property to the expression 24x + 18y to produce the equivalent expression 6 (4x + 3y); apply properties of operations to y + y + y to produce the equivalent expression 3y.

35	G.A1	Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.
36	G.A2	Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = l w h$ and $V = b h$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.
37	G.A3	Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.
38	G.A4	Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.
39	SP.A1	Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers.
40	SP.A2	Understand that a set of data collected to answer a statistical question has a distribution, which can be described by its center, spread, and overall shape.
41	SP.A3	Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.
42	SP.B4	Display numerical data in plots on a number line, including dot plots, histograms, and box plots.
43	SP.B5a-d	Summarize numerical data sets in relation to their context, such as by: Reporting the number of observations. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.